



# PRODUCT PORTFOLIO

[www.safco.co.at](http://www.safco.co.at)



**GRÜNDUNG**

Safco wurde als ein Handelsunternehmen für den österreichischen und grenzübergreifenden Märkte gegründet.

**FOUNDATION**

Safco was founded as a trading company for the Austrian and cross-border market.



**EXPANSION**

Safco erkannte schnell die Notwendigkeit seinen Kunden nahe zu sein. Service vor Ort wird immer wichtiger.

**EXPANSION**

Safco soon realized the need to be close to its customers. On-site service is becoming increasingly important.



**INDIVIDUALISIERUNG DER PRODUKTE**

Erste Fertigstellungsarbeiten und Teilfertigungen an den Aggregaten wurden durchgeführt.

**CUSTOMIZATION OF THE PRODUCTS**

Initial finishing work and partial manufacturing were completed on the pump assemblies.



**ZERTIFIZIERT**

Die vorgeschriebenen Standards werden im vollen Maße eingehalten. Seit 2005, erhielt Safco GmbH zahlreiche Zertifizierungen.

**CERTIFIED**

The company fully complies with the required standards. Since 2005, Safco GmbH has obtained numerous certifications.



**EIGENPRODUKTION**

Safco legt einen hohen Wert auf Qualität. Um seinen Kunden diese bieten zu können, werden ab sofort eigene Produkte unter der Marke Safco in unserem Standort in Österreich produziert.

**OWN PRODUCTION**

Safco attaches high importance to quality. To be able to offers this to its customers, the company now manufactures its own products under the Safco brand at our location in Austria.



**NEUER STANDORT**

Bau des neuen Standortes in Niederösterreich. Einsatz modernster Technologien garantiert hohe Qualität.

**NEW SITE**

Construction of a new site in Lower Austria. The use of state-of-the art technologies guarantees a high quality.

1996

1999


2003

2005

2010

2014


## EXPORT DESTINATIONS




## CERTIFICATES




STANDARD	TYPE	RANGE	APPLICATION
ISO 2858/5199	SOHI	<p><b>CAPACITY:</b> 5000 m3/h</p> <p><b>PRESSURES:</b> up to 25 bar</p> <p><b>TEMPERATURES:</b> from 70 to 300 °C</p>	<ul style="list-style-type: none"> <li>- Chemical Industries</li> <li>- Petroleum Refineries</li> <li>- Petrochemical Process</li> <li>- Foodstuffs Industries</li> <li>- Environmental Industries</li> <li>- Other Various Industries</li> </ul>




STANDARD	TYPE	RANGE	APPLICATION
ISO 5199	SBBI	<p><b>CAPACITY:</b> 1800 m3/h</p> <p><b>PRESSURES:</b> up to 60 bar</p> <p><b>TEMPERATURES:</b> up to 180 °C</p>	<ul style="list-style-type: none"> <li>- Boiler Feed</li> <li>- Water Processing</li> <li>- Fire Fighting</li> <li>- Boosting</li> <li>- General Industries</li> </ul>




STANDARD	TYPE	RANGE	APPLICATION
ISO 5199	SVSI	<p><b>CAPACITY:</b> 1500 m3/h</p> <p><b>PRESSURES:</b> up to 16 bar</p> <p><b>TEMPERATURES:</b> up to 200 °C</p>	<ul style="list-style-type: none"> <li>- Water Processing</li> <li>- Fire Fighting</li> <li>- General Industries</li> <li>- Drainage Service</li> </ul>




STANDARD	TYPE	RANGE	APPLICATION
API 610	SOH2	<p><b>CAPACITY:</b> 4500 m3/h</p> <p><b>PRESSURES:</b> up to 50 bar</p> <p><b>TEMPERATURES:</b> from -100 to 450 °C</p>	<ul style="list-style-type: none"> <li>- Petroleum Refineries</li> <li>- Petro chemical Process</li> <li>- Liquefied Gas Transfer</li> <li>- Other Chemical Industries</li> </ul>




STANDARD	TYPE	RANGE	APPLICATION
API 610	SOH3	<p><b>CAPACITY:</b> 3500 m3/h</p> <p><b>PRESSURES:</b> up to 50 bar</p> <p><b>TEMPERATURES:</b> up to 450 °C</p>	<ul style="list-style-type: none"> <li>- Petrochemical Plants</li> <li>- Refineries</li> <li>- Liquefied Gas Transfer</li> </ul>




STANDARD	TYPE	RANGE	APPLICATION
API 610	SBB1	<p><b>CAPACITY:</b> 15000 m3/h</p> <p><b>PRESSURES:</b> up to 20 bar</p> <p><b>TEMPERATURES:</b> up to 150 °C</p>	<ul style="list-style-type: none"> <li>- Industrial Process</li> <li>- Pulp and Paper Industries</li> <li>- Fire Fighting</li> <li>- Water Intake and Transfer</li> <li>- Primary Metals</li> </ul>




STANDARD	TYPE	RANGE	APPLICATION
API 610	SDBB2	<p><b>CAPACITY:</b> 5000 m3/h</p> <p><b>PRESSURES:</b> up to 80 bar</p> <p><b>TEMPERATURES:</b> up to 450 °C</p>	<ul style="list-style-type: none"> <li>- <b>Refinery</b> <ul style="list-style-type: none"> <li>· Process feed</li> <li>· Reflux</li> <li>· Splitter bottoms</li> <li>· High-pressure process transfer</li> </ul> </li> <li>- <b>Power Plant</b> <ul style="list-style-type: none"> <li>· Boiler feed booster</li> </ul> </li> </ul>




STANDARD	TYPE	RANGE	APPLICATION
API 610	SSBB2	<p><b>CAPACITY:</b> 1800 m3/h</p> <p><b>PRESSURES:</b> up to 60 bar</p> <p><b>TEMPERATURES:</b> up to 450 °C</p>	<ul style="list-style-type: none"> <li>- <b>Refinery</b> <ul style="list-style-type: none"> <li>· Tower bottoms, process feed, column</li> <li>· reflux, process booster, circulation &amp; pump around</li> </ul> </li> <li>- <b>Power Plant</b> <ul style="list-style-type: none"> <li>· Boiler feed booster, boiler</li> <li>· circulation, ash sluice</li> </ul> </li> </ul>




STANDARD	TYPE	RANGE	APPLICATION
API 610	SBB3	<p><b>CAPACITY:</b> 2000 m3/h</p> <p><b>PRESSURES:</b> up to 250 bar</p> <p><b>TEMPERATURES:</b> up to 200 °C</p>	<ul style="list-style-type: none"> <li>- Petroleum Refineries</li> <li>- Petrochemical Process</li> <li>- High Pressure Boiler Feed</li> <li>- Mine Dewatering</li> <li>- Water Injection</li> <li>- Descaling</li> <li>- Desalination</li> </ul>




STANDARD	TYPE	RANGE	APPLICATION
API 610	SBB4	<p><b>CAPACITY:</b> 1500 m3/h</p> <p><b>PRESSURES:</b> up to 250 bar</p> <p><b>TEMPERATURES:</b> up to 200 °C</p>	<ul style="list-style-type: none"> <li>- High Pressure Boiler Feed</li> <li>- Petroleum Refineries</li> <li>- Petrochemical Process</li> <li>- Chemical Industries</li> <li>- Water Injection</li> <li>- Descaling</li> <li>- Desalination</li> <li>- Other High Pressure Services</li> </ul>




STANDARD	TYPE	RANGE	APPLICATION
API 610	SBB5	<p><b>CAPACITY:</b> 1500 m3/h</p> <p><b>PRESSURES:</b> up to 250 bar</p> <p><b>TEMPERATURES:</b> up to 450 °C</p>	<ul style="list-style-type: none"> <li>- Petroleum Refineries</li> <li>- Petrochemical Process</li> <li>- Liquefied Gas Transfer</li> <li>- High Pressure Water Injection Service</li> <li>- High Pressure Boiler Feed</li> <li>- Other High Pressure Services</li> </ul>




STANDARD	TYPE	RANGE	APPLICATION
API 610	SVS4	<p><b>CAPACITY:</b> 1400 m3/h</p> <p><b>PRESSURES:</b> up to 16 bar</p> <p><b>TEMPERATURES:</b> up to 320 °C</p>	<ul style="list-style-type: none"> <li>- Petroleum Refineries</li> <li>- Petrochemical Industries</li> <li>- Chemical Industries</li> <li>- Power Stations</li> </ul>




STANDARD	TYPE	RANGE	APPLICATION
API 610	SSVS1	<p><b>CAPACITY:</b> 15000 m3/h</p> <p><b>PRESSURES:</b> up to 40 bar</p> <p><b>TEMPERATURES:</b> up to 180 °C</p>	<ul style="list-style-type: none"> <li>- Refineries</li> <li>- Power Generation</li> <li>- Offshore Crude Oil Loading</li> <li>- Seawater Lift</li> <li>- Chemical and Petrochemical Industries</li> <li>- Pipeline and Transfer Services</li> <li>- Stormwater and Drainwater Services</li> <li>- Water Distribution, Cooling, Circulation, etc.</li> </ul>




STANDARD	TYPE	RANGE	APPLICATION
API 610	SMVS6	<p><b>CAPACITY:</b> 4000 m3/h</p> <p><b>PRESSURES:</b> up to 150 bar</p> <p><b>TEMPERATURES:</b> from - 100 to 350 °C</p>	<ul style="list-style-type: none"> <li>- Condensate and Condensate Extraction</li> <li>- Hydrocarbon Booster and Transfer</li> <li>- Chemical and Petrochemical Transfer</li> <li>- Brine Injection</li> <li>- Pipeline Booster</li> <li>- Crude Oil Loading</li> <li>- Heater Drain</li> <li>- Cryogenic Service</li> </ul>



STANDARD	TYPE	RANGE	APPLICATION
Manufacturer	SOH	<p><b>CAPACITY:</b> 2000 m3/h</p> <p><b>PRESSURES:</b> up to 120 bar</p> <p><b>TEMPERATURES:</b> up to 325 °C</p>	<ul style="list-style-type: none"> <li>- Forced Circulation Boilers</li> <li>- High Pressure Hot Water Generation Plants</li> </ul>



STANDARD	TYPE	RANGE	APPLICATION
API 685	SOHM	<p><b>CAPACITY:</b> 1000 m3/h</p> <p><b>PRESSURES:</b> up to 20 bar</p> <p><b>TEMPERATURES:</b> up to 300 °C</p>	<ul style="list-style-type: none"> <li>- Petroleum Refineries</li> <li>- Petro chemical Process</li> <li>- Liquefied Gas Transfer</li> <li>- Other Chemical Industries</li> <li>- Toxic Liquid Service</li> </ul>





## UNSER UNTERNEHMEN

Seit 1996 bieten wir unsere Leistung auf höchstem Niveau an. Saftco ist ein dynamisches Unternehmen mit langer Tradition und großer Erfahrung. Gegründet 1996 als reine Handelsfirma, hat sich das Unternehmen mittlerweile als produzierender Betrieb etabliert.

Wir sind auf die Lieferung von elektromechanischer Ausrüstung auf hohem Engineering Niveau mit Hauptzielrichtung Industrie spezialisiert.

Um unseren Kunden den bestmöglichen Service bieten zu können, haben wir ein weit verbreitetes Netz von Repräsentanzen rund um die Welt aufgebaut. In allen strategisch wichtigen Märkten haben wir Vertriebsbüros etabliert. Durch unsere ausgewählten Partner in Novosibirsk, Moskau, Varazdin, Belgrade, Almaty, Sofia und an weiteren Standorten, sind wir für unsere Kunden direkt vor Ort erreichbar.

## OUR COMPANY

Since 1996, we have offered our services at the highest standard. Saftco is a dynamic company with a long tradition and great experience. Founded in 1996 as a pure trading firm, the company has by now established itself as a production establishment.

We are specialized in the supply of electro-mechanical equipment of premium engineering standard catering primarily for the industry.

To be able to offer our customers the best possible service, we have built up an extensive network of representations all around the globe. We have established sales offices in all important strategic markets. Via our network of selected partners in Novosibirsk, Moscow, Varazdin, Belgrade, Almaty, Sofia and at other locations, our customers can contact us directly on site.

## **HEADQUARTERS**

### **IT SAFCO ENGINEERING GMBH**

Sandfeld 1  
2100 Stetten  
Austria

E-Mail [office@safco.co.at](mailto:office@safco.co.at)  
Tel +43 2262 22220  
Fax +43 2262 22220-24

**[www.safco.co.at](http://www.safco.co.at)**

CAT. No. G1301